

# Author index

- Åkerstedt T: see Härmä et al, suppl 3
- Åkerstedt T: Is there an optimal sleep-wake pattern in shift work?, suppl 3 p 18
- Åkerstedt T: see Axelsson et al, suppl 3 p 62
- Åkerstedt T: see Lowden et al, suppl 3 p 69
- Åkesson B: see Ørbæk et al, p 432
- Abell A: see Bonde et al, p 407
- Acquavella JF: see Collins & Acquavella, suppl 2 p 71
- Ahlbom A: see Feychting et al, p 8
- Ahlm C, et al: Prevalence of antibodies specific to Puumala virus among farmers in Sweden, p 104
- Aldridge J: see Barton et al, suppl 3 p 146
- Alikoski T: see Härmä et al, p 300
- Amick BC III, et al: Relationship of job strain and iso-strain to health status in a cohort of women in the United States, p 54
- Andersen JH: see Frost et al, p 285
- Andersson A-M: see Hjollund et al, p 344
- Andersson E, et al: Mortality from asthma and cancer among sulfite mill workers, p 12
- Ando M: see Hiraoka et al, p 392
- Andorre-Gruet V, et al: Three-process model of supervisory activity over 24 hours, suppl 3 p 121
- Anttila A: see Shen et al, p 175
- Aussel L: see Bouyer et al, p 98
- Autio A: Book review of *Biological Monitoring for Industrial Chemicals*, p 157
- Axelsson J: see Lowden et al, suppl 3 p 69
- Axelsson J, et al: Effects of alternating 8- and 12-hour shifts on sleep, sleepiness, physical effort and performance, suppl 3 p 62
- Bælum J, et al: Metabolic interaction between toluene, trichloroethylene and n-hexane in humans, p 30
- Bartoli D: see Pirastu et al, p 386
- Barton J: see Härmä et al, suppl 3
- Barton J, et al: The emotional impact of shift work on the children of shift workers, suppl 3 p 146
- Basha M: see Gomes et al, p 213
- Battista G: see Pirastu et al, p 386
- Benavides FG: see García et al, p 473
- Benn T & Osborne K: Mortality of United Kingdom acrylonitrile workers — an extended and updated study, suppl 2 p 17
- Bergdahl IA, et al: Lead concentrations in tibial and calcaneal bone in relation to the history of occupational lead exposure, p 38
- Bergendorf U: see Ørbæk et al, p 432
- Berglund M: see Järup et al, suppl 1
- Bernmark E: see Karlqvist et al, p 62
- Bickeböller R: see Seidler et al, p 486
- Blidt Thorbjörnsson C: see Fredriksson et al, p 425
- Blair A: see Stewart et al, suppl 2 p 42
- Blair A, et al: Mortality of industrial workers exposed to acrylonitrile, suppl 2 p 25
- Bloemen LJJN: see Swaen et al, suppl 2 p 10
- Bloom T: see Stewart et al, suppl 2 p 42
- Bloom TF: see Blair et al, suppl 2 p 25
- Boffetta P: see Shen et al, p 175
- Boffetta P: see Weiderpass, p 165
- Boffetta P: see Welp et al, p 3
- Boffetta P: see Wüch-Filho, p 118
- Boffetta P, et al: Towards the coordination of European research on the carcinogenic effects of asbestos (workshop report), p 312
- Bohle P: see Pisarski et al, suppl 3 p 141
- Bonde JPE: see Hjollund et al, p 344
- Bonde JPE, et al: Year of birth and sperm count in 10 Danish occupational studies, p 407
- Borg V: see Jensen et al, p 418
- Bouyer J, et al: Ectopic pregnancy and occupational exposure of hospital personnel, p 98
- Bovenzi M: Vibration-induced white finger and cold response of digital arterial vessels in occupational groups with various patterns of exposure to hand-transmitted vibration, p 138
- Bovenzi M, et al: Duration of acute exposures to vibration and finger circulation, p 130
- Brisson C: see Laflamme et al, p 334
- Brixen Larsen S: see Bonde et al, p 407
- Buffler PA: see Wood et al, suppl 2 p 54
- Bugel I: see Niedhammer et al, p 197
- Burau K: see Wood et al, suppl 2 p 54
- Burch JB, et al: Nocturnal excretion of a urinary melatonin metabolite among electric utility workers, p 183
- Burdorf A: see Boffetta et al, p 312
- Boggild H: see Jeppesen & Boggild, suppl 3 p 81
- Boggild H: see Kleiven et al, suppl 3 p 128
- Callan VJ: see Pisarski et al, suppl 3 p 141
- Carpentier-Roy M-C: see Marchand et al, p 293
- Cénée S: see Stengel et al, p 276
- Cherry NM: see Pope et al, p 376
- Chettle DR: see Bergdahl et al, p 38
- Christensen H: see Jensen et al, p 418
- Coakley EH: see Amick III et al, p 54
- Coggon D & Cole P: Acrylonitrile and human cancer — an overview, suppl 2 p 81
- Colditz GA: see Amick III et al, p 54
- Cole P: see Coggon & Cole, suppl 2 p 81
- Collins JJ: see Swaen et al, suppl 2 p 10
- Collins JJ & Acquavella JF: Review and meta-analysis of studies of acrylonitrile workers, suppl 2 p 71
- Concordet D: see Andorre-Gruet et al, suppl 3 p 121
- Costa G: Guidelines for the medical surveillance of shift workers, suppl 3 p 151
- Costa G: see Härmä et al, suppl 3
- Dahlin LB: see Strömberg et al, p 495
- Daurat A: see Foret et al, suppl 3 p 115
- David S: see Niedhammer et al, p 197
- De Santis M: see Pirastu et al, p 386
- de Seze: see Juutilainen & de Seze, p 245
- Diebold F: see Stengel et al, p 276
- Doekes G: see Hollander et al, p 236
- Doll Sir Richard: Preface, suppl 2 p 3
- Doll Sir Richard (guest editor): The mortality of acrylonitrile workers — new evidence and a review of the old, suppl 2
- Dosemeci M: see Stewart et al, suppl 2 p 42
- Druet P: see Stengel et al, p 276
- Ekenvall L: see Karlqvist et al, p 62
- Ekenvall L: see Engkvist et al, p 367
- Elgh F: see Ahlm et al, p 104
- Elinder CG: see Järup et al, suppl 1
- Elsner G: see Seidler et al, p 486
- Engkvist I-L, et al: The accident process preceding overexertion back injuries in nursing personnel, p 367
- Engström T: see Wassenius et al, p 125
- Ernst E: see Bonde et al, p 407
- Ernst E: see Hjollund et al, p 344
- Esmen NA: Exposure estimation in four major epidemiologic studies in the acrylonitrile industry, suppl 2 p 63
- Feychting M, et al: Exposure to motor vehicle exhaust and childhood cancer, p 8
- Feychting M, et al: Dementia and occupational exposure to magnetic fields, p 46
- Finsen L: see Jensen et al, p 418
- Fletcher T: see García et al, p 473
- Floderus B: see Feychting et al, p 46
- Folkard S: see Tucker et al, suppl 3 p 49
- Folkard S: see Owens et al, suppl 3 p 109
- Foret J, et al: Effect of bright light at night on core temperature, subjective alertness and performance as a function of exposure time, suppl 3 p 115
- Fredriksson K, et al: Validity and reliability of self-reported retrospectively collected data on sick leave related to musculoskeletal diseases, p 425
- Froom P: see Melamed et al, p 190
- Frost P, et al: Occurrence of carpal tunnel syndrome among



# Author index

- Åkerstedt T: see Härmä et al, suppl 3  
 Åkerstedt T: Is there an optimal sleep-wake pattern in shift work?, suppl 3 p 18  
 Åkerstedt T: see Axelsson et al, suppl 3 p 62  
 Åkerstedt T: see Lowden et al, suppl 3 p 69  
 Åkesson B: see Ørbæk et al, p 432  
 Abell A: see Bonde et al, p 407  
 Acquavella JF: see Collins & Acquavella, suppl 2 p 71  
 Ahlbom A: see Feychting et al, p 8  
 Ahlm C, et al: Prevalence of antibodies specific to Puumala virus among farmers in Sweden, p 104  
 Aldridge J: see Barton et al, suppl 3 p 146  
 Alikoski T: see Härmä et al, p 300  
 Amick BC III, et al: Relationship of job strain and iso-strain to health status in a cohort of women in the United States, p 54  
 Andersen JH: see Frost et al, p 285  
 Andersson A-M: see Hjollund et al, p 344  
 Andersson E, et al: Mortality from asthma and cancer among sulfite mill workers, p 12  
 Ando M: see Hiraoka et al, p 392  
 Andorre-Gruet V, et al: Three-process model of supervisory activity over 24 hours, suppl 3 p 121  
 Anttila A: see Shen et al, p 175  
 Aussel L: see Bouyer et al, p 98  
 Autio A: Book review of *Biological Monitoring for Industrial Chemicals*, p 157  
 Axelsson J: see Lowden et al, suppl 3 p 69  
 Axelsson J, et al: Effects of alternating 8- and 12-hour shifts on sleep, sleepiness, physical effort and performance, suppl 3 p 62  
 Bælum J, et al: Metabolic interaction between toluene, trichloroethylene and n-hexane in humans, p 30  
 Bartoli D: see Pirastu et al, p 386  
 Barton J: see Härmä et al, suppl 3  
 Barton J, et al: The emotional impact of shift work on the children of shift workers, suppl 3 p 146  
 Basha M: see Gomes et al, p 213  
 Battista G: see Pirastu et al, p 386  
 Benavides FG: see García et al, p 473  
 Benn T & Osborne K: Mortality of United Kingdom acrylonitrile workers — an extended and updated study, suppl 2 p 17  
 Bergdahl IA, et al: Lead concentrations in tibial and calcaneal bone in relation to the history of occupational lead exposure, p 38  
 Bergendorf U: see Ørbæk et al, p 432  
 Berglund M: see Järup et al, suppl 1  
 Bernmark E: see Karlqvist et al, p 62  
 Bickelböller R: see Seidler et al, p 486  
 Bildt Thorbjörnsson C: see Fredriksson et al, p 425  
 Blair A: see Stewart et al, suppl 2 p 42  
 Blair A, et al: Mortality of industrial workers exposed to acrylonitrile, suppl 2 p 25  
 Bloemen LJJN: see Swaen et al, suppl 2 p 10  
 Bloom T: see Stewart et al, suppl 2 p 42  
 Bloom TF: see Blair et al, suppl 2 p 25  
 Boffetta P: see Shen et al, p 175  
 Boffetta P: see Weiderpass, p 165  
 Boffetta P: see Welp et al, p 3  
 Boffetta P: see Wüch-Filho, p 118  
 Boffetta P, et al: Towards the coordination of European research on the carcinogenic effects of asbestos (workshop report), p 312  
 Bohle P: see Pisarski et al, suppl 3 p 141  
 Bonde JPE: see Hjollund et al, p 344  
 Bonde JPE, et al: Year of birth and sperm count in 10 Danish occupational studies, p 407  
 Borg V: see Jensen et al, p 418  
 Bouyer J, et al: Ectopic pregnancy and occupational exposure of hospital personnel, p 98  
 Bovenzi M: Vibration-induced white finger and cold response of digital arterial vessels in occupational groups with various patterns of exposure to hand-transmitted vibration, p 138  
 Bovenzi M, et al: Duration of acute exposures to vibration and finger circulation, p 130  
 Brisson C: see Laflamme et al, p 334  
 Brixen Larsen S: see Bonde et al, p 407  
 Buffler PA: see Wood et al, suppl 2 p 54  
 Bugel I: see Niedhammer et al, p 197  
 Burau K: see Wood et al, suppl 2 p 54  
 Burch JB, et al: Nocturnal excretion of a urinary melatonin metabolite among electric utility workers, p 183  
 Burdorf A: see Boffetta et al, p 312  
 Boggild H: see Jeppesen & Boggild, suppl 3 p 81  
 Boggild H: see Kleiven et al, suppl 3 p 128  
 Callan VJ: see Pisarski et al, suppl 3 p 141  
 Carpentier-Roy M-C: see Marchand et al, p 293  
 Cénée S: see Stengel et al, p 276  
 Cherry NM: see Pope et al, p 376  
 Chettle DR: see Bergdahl et al, p 38  
 Christensen H: see Jensen et al, p 418  
 Coakley EH: see Amick III et al, p 54  
 Coggon D & Cole P: Acrylonitrile and human cancer — an overview, suppl 2 p 81  
 Colditz GA: see Amick III et al, p 54  
 Cole P: see Coggon & Cole, suppl 2 p 81  
 Collins JJ: see Swaen et al, suppl 2 p 10  
 Collins JJ & Acquavella JF: Review and meta-analysis of studies of acrylonitrile workers, suppl 2 p 71  
 Concordet D: see Andorre-Gruet et al, suppl 3 p 121  
 Costa G: Guidelines for the medical surveillance of shift workers, suppl 3 p 151  
 Costa G: see Härmä et al, suppl 3  
 Dahlin LB: see Strömberg et al, p 495  
 Daurat A: see Foret et al, suppl 3 p 115  
 David S: see Niedhammer et al, p 197  
 De Santis M: see Pirastu et al, p 386  
 de Seze: see Juutilainen & de Seze, p 245  
 Diebold F: see Stengel et al, p 276  
 Doekes G: see Hollander et al, p 236  
 Doll Sir Richard: Preface, suppl 2 p 3  
 Doll Sir Richard (guest editor): The mortality of acrylonitrile workers — new evidence and a review of the old, suppl 2  
 Dosemeci M: see Stewart et al, suppl 2 p 42  
 Druet P: see Stengel et al, p 276  
 Ekenvall L: see Karlqvist et al, p 62  
 Ekenvall L: see Engkvist et al, p 367  
 Elgh F: see Ahlm et al, p 104  
 Elinder CG: see Järup et al, suppl 1  
 Elsnor G: see Seidler et al, p 486  
 Engkvist I-L, et al: The accident process preceding overexertion back injuries in nursing personnel, p 367  
 Engström T: see Wassenius et al, p 125  
 Ernst E: see Bonde et al, p 407  
 Ernst E: see Hjollund et al, p 344  
 Esmen NA: Exposure estimation in four major epidemiologic studies in the acrylonitrile industry, suppl 2 p 63  
 Feychting M, et al: Exposure to motor vehicle exhaust and childhood cancer, p 8  
 Feychting M, et al: Dementia and occupational exposure to magnetic fields, p 46  
 Finsen L: see Jensen et al, p 418  
 Fletcher T: see García et al, p 473  
 Floderus B: see Feychting et al, p 46  
 Folkard S: see Tucker et al, suppl 3 p 49  
 Folkard S: see Owens et al, suppl 3 p 109  
 Foret J, et al: Effect of bright light at night on core temperature, subjective alertness and performance as a function of exposure time, suppl 3 p 115  
 Fredriksson K, et al: Validity and reliability of self-reported retrospectively collected data on sick leave related to musculoskeletal diseases, p 425  
 Froom P: see Melamed et al, p 190  
 Frost P, et al: Occurrence of carpal tunnel syndrome among



- slaughterhouse workers, p 285
- Gärtner J & Wahl S: The significance of rota representation in the design of rotas, suppl 3 p 96
- Gärtner J, et al: A technique to take leave into account in shift-rota design, suppl 3 p 103
- Gadbois C: see Prunier-Poulmaire et al, suppl 3 p 134
- García AM, et al: Paternal exposure to pesticides and congenital malformations, p 473
- Gatz M: see Feychting et al, p 46
- Gerhardsson L: see Bergdahl et al, p 38
- Gillberg M: Subjective alertness and sleep quality in connection with permanent 12-hour day and night shifts, suppl 3 p 76
- Gissel A & Knauth P: Knowledge-based support for the participatory design and implementation of shift systems, suppl 3 p 88
- Giwerzman A: see Hjollund et al, p 344
- Giwerzman A: see Bonde et al, p 407
- Goldberg MS: see Shen et al, p 175
- Goldberg M: see Niedhammer et al, p 197
- Goldberg M: see Boffetta et al, p 312
- Gomes J, et al: Morbidity among farm workers in a desert country in relation to long-term exposure to pesticides, p 213
- Grandjean P: see Nielsen et al, p 153
- Greenwood K: see Härmä et al, suppl 3
- Grenier C: see Bouyer et al, p 98
- Griffin MJ: see Bovenzi et al, p 130
- Grzech-lbcg/Sukalo H: see Hänecke et al, suppl 3 p 43
- Hänecke K, et al: Accident risk as a function of hour at work and time of day as determined from accident data and exposure models for the German working population, suppl 3 p 43
- Härmä M: New work times are here — are we ready? (editorial), suppl 3 p 3
- Härmä M: see Tenkanen et al, p 351
- Härmä M, et al: Combined effects of shift work and life-style on the prevalence of insomnia, sleep deprivation and daytime sleepiness, p 300
- Härmä M, et al (guest editors): New challenges for the organization of night and shift work: proceedings of the XIII International Symposium on Night and Shift Work, 23—27 June 1997, Finland, suppl 3
- Hagberg M: see Karlqvist et al, p 62
- Hagberg M: Book review of *Occupational Ergonomics: Principles and Applications*, p 76
- Hagberg M: see Engkvist et al, p 367
- Hagberg M: see Lagerström et al, p 449
- Hansen K: see Jensen et al, p 418
- Hansson T: see Lagerström et al, p 449
- Harari G: see Melamed et al, p 190
- Hederik D: see Hollander et al, p 236
- Heinsalmi P: see Härmä et al, p 300
- Heiskel H: see Seidler et al, p 486
- Hémon D: see Stengel et al, p 276
- Henriksen TB: see Hjollund et al, p 344
- Hernberg S: Inconclusive cancer epidemiology (editorial), p 161
- Herrick R: see Stewart et al, suppl 2 p 42
- Hietanen M: Solving mysteries of the bioeffects of nonionizing radiation (editorial), p 241
- Hiraoka T, et al: Anthophyllite exposure and endemic pleural plaques in Kumamoto, Japan, p 392
- Hjollund NHI: see Bonde et al, p 407
- Hjollund NHI, et al: Job strain and time to pregnancy, p 344
- Hörwein K: see Gärtner et al, suppl 3 p 103
- Hollander A, et al: Determinants of airborne rat and mouse urinary allergen exposure, p 236
- Holmberg S: see Ahlm et al, p 104
- Honoré Hansen S: see Bibblum et al, p 30
- Hornung R: see Stewart et al, suppl 2 p 42
- Husman KR: see Taivainen et al, p 503
- Huhtanen P: Bridging the generation gap (editorial), p 81
- Huuskonen MS: see Koskinen et al, p 109
- Hytönen M: see Leino et al, p 398
- Iaia T: see Pirastu et al, p 386
- Isaksson A: see Karlqvist et al, p 62
- Järup L (editor): Health effects of cadmium exposure — a review of the literature and a risk estimate, suppl 1
- Järup L, et al: Health effects of cadmium exposure — a review of the literature and a risk estimate, suppl 1
- Järholm B: see Wassenius et al, p 125
- James WH: Sex ratio of offspring of residents of a highly polluted housing site (letter to the editor), p 74
- James WH: Retraction, p 416
- Jensen C, et al: Job demands, muscle activity and musculoskeletal symptoms in relation to work with the computer mouse, p 418
- Jeppesen HJ: see Kleiven et al, suppl 3 p 128
- Jeppesen HJ & Bøggild H: Management of health and safety in the organization of worktime at the local level, suppl 3 p 81
- Jönsson BAG: see Zhang et al, p 220
- Jørgensen PJ: see Nielsen et al, p 153
- Job-Spira N: see Bouyer et al, p 98
- Josephson M, et al: Workplace factors and care seeking for low-back pain among female nursing personnel, p 465
- Juto P: see Ahlm et al, p 104
- Juul-Kristensen B: see Jensen et al, p 418
- Juutilainen J & de Seze R: Biological effects of amplitude-modulated radiofrequency radiation, p 245
- Kaaks R: see Weiderpass, p 165
- Kanerva L: see Leino et al, p 398
- Karjalainen A: Book review of *The Workplace: vol 1 (Fundamentals of health, safety and welfare) & vol 2 (Major industries and occupations)*, p 318
- Karlqvist LK, et al: Computer mouse position as a determinant of posture, muscular load and perceived exertion, p 62
- Karlson B: see Ørbæk et al, p 432
- Kauppinen T: see Weiderpass, p 165
- Kawachi I: see Amick III et al, p 54
- Kecklund G: see Axelsson et al, suppl 3 p 62
- Kecklund G: see Lowden et al, suppl 3 p 69
- Keefe TJ: see Burch et al, p 183
- Keiding N: see Bonde et al, p 407
- Keller-Byrne JE: see Khuder et al, p 255
- Khuder SA, et al: Meta-analyses of non-Hodgkin's lymphoma and farming, p 255
- Kilbom A: see Fredriksson et al, p 425
- Kivekäs J: see Koskinen et al, p 109
- Kleiven M, et al: Shift work and sick leave, suppl 3 p 128
- Knauth P: see Härmä et al, suppl 3
- Knauth P: Innovative worktime arrangements, suppl 3 p 13
- Knauth P: see Gissel & Knauth, suppl 3 p 88
- Kogevinas M & Sala M: Pesticides and congenital malformations — how many studies will it take to reach a conclusion? (editorial), p 445
- Kogi K: International regulations on the organization of shift work, suppl 3 p 7
- Kohyama N: see Hiraoka et al, p 392
- Kold Jensen T: see Hjollund et al, p 344
- Kold Jensen T: see Bonde et al, p 407
- Kolstad HA: see Hjollund et al, p 344
- Kolstad HA: see Bonde et al, p 407
- Koskinen K, et al: Radiographic abnormalities among Finnish construction, shipyard and asbestos industry workers, p 109
- Kristal-Boneh E: see Melamed et al, p 190
- Krivanek N: see Wood et al, suppl 2 p 54
- Kromhout H: see Hollander et al, p 236
- Laflamme N, et al: Job strain and ambulatory blood pressure among female white-collar workers, p 334
- Lagerström M, et al: Work-related low back problems in nursing (review), p 449
- Lamminen A: see Luoma et al, p 358
- Leclerc A: see Niedhammer et al, p 197
- Lehtelä J: Book review of *Total Workplace Performance, Rethinking the Office Environment*, p 414
- Leino T, et al: Occupational skin and respiratory diseases among hairdressers, p 398
- Lerner D: see Amick III et al, p 54
- Levine S: see Amick III et al, p 54
- Lillienberg L: see Wassenius et al, p 125
- Limasset J-C: see Stengel et al, p 276
- Lindsell CJ: see Bovenzi et al, p 130
- Lloyd O: see Gomes et al, p 213
- London L, et al: Effects of long-term organophosphate exposures on neurological symptoms, vibration sense and tremor among South African farm workers, p 18
- Lowden A: see Axelsson et al, suppl 3 p 62



- Lowden A, et al: Change from an 8-hour shift to a 12-hour shift, attitudes, sleep, sleepiness and performance, suppl 3 p 69
- Lubin J: see Blair et al, suppl 2 p 25
- Lundberg I & Milatou-Smith R: Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents, p 270
- Lundborg G: see Strömberg et al, p 495
- Luoma K, et al: Lumbar disc degeneration in relation to occupation, p 358
- Luukkonen R: see Luoma et al, p 358
- Macdonald I: see Tucker et al, suppl 3 p 49
- Macdonald I: see Owens et al, suppl 3 p 109
- Macfarlane GJ: see Pope et al, p 376
- Mackey RW: see Smith et al, suppl 3 p 55
- Magnus P: see Melbostad et al, p 262
- Malats N: see Weiderpass, p 165
- Marchand A, et al: From a unidimensional to a bidimensional concept and measurement of workers' safety behavior, p 293
- Martimo K-P: Audit matrix for evaluating Finnish occupational health units, p 439
- Masschelein R: see Viaene et al, p 308
- Masse B: see Laflamme et al, p 334
- Meding B: see Wassenius et al, p 125
- Melamed S, et al: Variation in the ambulatory blood pressure response to daily work load — the moderating role of job control, p 190
- Melbostad E, et al: Determinants of asthma in a farming population, p 262
- Menckel E: see Engkvist et al, p 367
- Merler E: see Boffetta et al, p 312
- Michard D: see Stengel et al, p 276
- Milatou-Smith R: see Lundberg & Milatou-Smith, p 270
- Miller B: see Blair et al, suppl 2 p 25
- Miller BA: see Stewart et al, suppl 2 p 42
- Milot A: see Laflamme et al, p 334
- Millsop HW: see Smith et al, suppl 3 p 55
- Minors D: see Owens et al, suppl 3 p 109
- Mirabelli D: see Wüsch-Filho, p 118
- Molhave L: see B(h)lum et al, p 30
- Moisan J: see Laflamme et al, p 334
- Moncau JE: see Wüsch-Filho, p 118
- Morinaga K: see Hiraoka et al, p 392
- MUSIC-Norrtälje Study Group: see Josephson et al, p 465
- Muzyka V, et al: Particle-bound benzene from diesel engine exhaust, p 481
- Myers JE: see London et al, p 18
- Nachreiner F: see Härmä et al, suppl 3
- Nachreiner F: Individual and social determinants of shiftwork tolerance, suppl 3 p 35
- Nachreiner F: see Hänecke et al, suppl 3 p 43
- Nell V: see London et al, p 18
- Niedhammer I, et al: Psychosocial factors at work and subsequent depressive symptoms in the Gazel cohort, p 197
- Nielsen JB, et al: Predictors of blood lead concentrations in the lead-free gasoline era (short communication), p 153
- Nielsen VK: see Frost et al, p 285
- Nilsson T: see Andersson et al, p 12
- Nordberg G: see Järup et al, suppl 1
- Nurminen T: Shift work and reproductive health, suppl 3 p 28
- Österberg K: see Ørbæk et al, p 432
- Ørbæk P, et al: Suprathreshold intensity and annoyance reactions in experimental challenge to toluene and n-butyl acetate among subjects with long-term solvent exposure, p 432
- Ohkura M: see Hiraoka et al, p 392
- Ojajärvi A: see Weiderpass, p 165
- Olsen J: see Hjollund et al, p 344
- Olsen J: see Bonde et al, p 407
- Orsi D: see Pirastu et al, p 386
- Orts E: see García et al, p 473
- Osborne K: see Benn & Osborne, suppl 2 p 17
- Ouellet F: see Marchand et al, p 293
- Owens DS, et al: Diurnal trends in mood and performance do not all parallel alertness, suppl 3 p 109
- Paakkulainen H: see Leino et al, p 398
- Parkes KR: Psychosocial aspects of stress, health and safety on North Sea installations (review), p 321
- Partanen TJ: see Welp et al, p 3
- Partanen T: see Weiderpass, p 165
- Partanen TJ: see Shen et al, p 175
- Pedersen NL: see Feychting et al, p 46
- Pentti J: Wickström & Pentti, p 145
- Persson B: see Andersson et al, p 12
- Petralia S: see Welp et al, p 3
- Pirastu R, et al: Cancer mortality of art glass workers in Tuscany, Italy, p 386
- Pisarski A, et al: Effects of coping strategies, social support and work-nonwork conflict on shift worker's health, suppl 3 p 141
- Pitrat CA: see Burch et al, p 183
- Pope DP, et al: Validity of a self-completed questionnaire measuring the physical demands of work, p 376
- Porta M: see Weiderpass, p 165
- Pottern L: see Blair et al, suppl 2 p 25
- Pottern L: see Stewart et al, suppl 2 p 42
- Pritchard C: see Pope et al, p 376
- PROSA Study Group: see Engkvist et al, p 367
- Prunier-Poulmaire S, et al: Combined effects of shift systems and work requirements on customs officers, suppl 3 p 134
- Queinnec Y: see Andorre-Gruet et al, suppl 3 p 121
- Raininko R: see Luoma et al, p 358
- Reif JS: see Burch et al, p 183
- Reijula K: see Koskinen et al, p 109
- Revitt MD: see Gomes et al, p 213
- Ribak J: see Melamed et al, p 190
- Riihimäki H: see Luoma et al, p 358
- Rinne J-P: see Koskinen et al, p 109
- Robertson A & Tracy CS: Health and productivity of older workers (review), p 85
- Rosa R: see Härmä et al, suppl 3
- Röstö T: see Karlqvist et al, p 62
- Roto P: see Koskinen et al, p 109
- Sala E: see Leino et al, p 398
- Sala E: see Kogevinas & Sala, p 445
- Saurel-Cubizolles M-J: see Bouyer et al, p 98
- Schaub EA: see Khuder et al, p 255
- Scheffers T: see Swaen et al, suppl 2 p 10
- Scheike T: see Bonde et al, p 407
- Schütz A: see Bergdahl et al, p 38
- Seger L: see Ørbæk et al, p 432
- Seidler A, et al: Association between diesel exposure at work and prostate cancer, p 486
- Shen N, et al: Epidemiology of occupational and environmental risk factors related to ovarian cancer (review), p 175
- Shimazu K: see Hiraoka et al, p 392
- Shmidt N: see Muzyka et al, p 481
- Siemiatycki J: see Boffetta et al, p 312
- Silman AJ: see Pope et al, p 376
- Simard M: see Marchand et al, p 293
- Sjöblom T: see Härmä et al, p 300
- Sjöblom T: see Tenkanen et al, p 351
- Sjögren B: A possible connection between furnace dust exposure, plasma fibrinogen levels and cardiovascular disease (letter to the editor), p 236
- Skakkebaek NE: see Hjollund et al, p 344
- Skakkebaek NE: see Bonde et al, p 407
- Skerfving S: see Bergdahl et al, p 38
- Skerfving S: see Zhang et al, p 220
- Slangen JJM: see Swaen et al, suppl 2 p 10
- Smith L: see Tucker et al, suppl 3 p 49
- Smith P: see Barton et al, suppl 3 p 146
- Smith PA, et al: Change from slowly rotating 8-hour shifts to rapidly rotating 8-hour and 12-hour shifts using participative shift roster design, suppl 3 p 55
- Stengel B, et al: Immunologic and renal markers among photogravure printers exposed to toluene, p 276
- Stewart PA: see Blair et al, suppl 2 p 25
- Stewart PA, et al: Exposure assessment for a study of workers exposed to acrylonitrile, suppl 2 p 42
- Stiernström E-L: see Ahlm et al, p 104
- Strand K: see Wergeland & Strand, p 206
- Strömberg T, et al: Vibrotactile sense in the hand-arm vibration syndrome, p 495
- Strömberg U: see Bergdahl et al, p 38



- Sturmans F: see Swaen et al, suppl 2 p 10  
 Svedberg P: see Feychting et al, p 46  
 Svensson D: see Feychting et al, p 8  
 Swaen GMH, et al: Mortality update of workers exposed to acrylonitrile in The Netherlands, suppl 2 p 10  
 Sytnik N: see Owens et al, suppl 3 p 109  
 Tärnvik A: see Ahlm et al, p 104  
 Taivainen AI, et al: Powered dust respirator helmets in the prevention of occupational asthma among farmers, p 503  
 Tammilehto L: see Leino et al, p 398  
 Tarchi M: see Pirastu et al, p 386  
 ten Berge WFJP: see Swaen et al, suppl 2 p 10  
 Tenkanen L: see Härmä et al, p 300  
 Tenkanen L, et al: Joint effect of shift work and adverse life-style factors on the risk of coronary heart disease, p 351  
 Teppo L: Cancer registers in environmental cancer epidemiology (editorial), p 1  
 Terho EO: see Taivainen et al, p 503  
 Thelin A: see Ahlm et al, p 104  
 Thompson M-L: see London et al, p 18  
 Tiedemann S: see Hänecke et al, suppl 3 p 43  
 Tirilly G: see Foret et al, suppl 3 p 115  
 Toomingas A: see Fredriksson et al, p 425  
 Torén K: see Andersson et al, p 12  
 Torgén M: see Fredriksson et al, p 425  
 Tossavainen A: see Koskinen et al, p 109  
 Totterdell P: see Owens et al, suppl 3 p 109  
 Tracy CS: see Robertson & Tracy, p 85  
 Tucker P, et al: Shift length as a determinant of retrospective on-shift alertness, suppl 3 p 49  
 Tucker P: see Owens et al, suppl 3 p 109  
 Tukiainen HO: see Taivainen et al, p 503  
 Twisk J: see Swaen et al, suppl 2 p 10  
 Væth M: see Bælum et al, p 30  
 Vahter M: see Järup et al, suppl 1  
 Vainio H: see Welp et al, p 3  
 Vainio H: see Weiderpass, p 165  
 Vainio HU: see Shen et al, p 175  
 Valiani M: see Pirastu et al, p 386  
 Vasama-Neuvonen K: see Welp et al, p 3  
 Vasama-Neuvonen KM: see Shen et al, p 175  
 Veimer S: see Muzyka et al, p 481  
 Veulemans H: see Viaene et al, p 308  
 Vézina M: see Laflamme et al, p 334  
 Viaene M, et al: Experience with a vocabulary test for workers previously and still exposed to styrene (short communication), p 308  
 Viikari-Juntura E: see Luoma et al, p 358  
 Vingård E: see Josephson et al, p 465  
 Volkoff S: see Prunier-Poulmaire et al, suppl 3 p 134  
 Wahl S: see Gärtner & Wahl, suppl 3 p 96  
 Wahl S: see Gärtner et al, suppl 3 p 103  
 Ward E: see Blair et al, suppl 2 p 25  
 Wassenius O, et al: Variability in the skin exposure of machine operators exposed to cutting fluids, p 125  
 Waterhouse J: see Owens et al, suppl 3 p 109  
 Weiderpass EA: see Welp et al, p 3  
 Weiderpass E: see Shen et al, p 175  
 Weiderpass E, et al: Occurrence, trends and environmental etiology of pancreatic cancer (review), p 165  
 Welinder H: see Zhang et al, p 220  
 Welp EA, et al: Environmental risk factors of breast cancer (review), p 3  
 Wergeland E & Strand K: Work pace control and pregnancy health in a population-based sample of employed women in Norway, p 206  
 Wickström GJ & Pentti J: Occupational factors affecting sick leave attributed to low-back pain, p 145  
 Wigaeus Hjelm E: see Engkvist et al, p 367  
 Wijnand E: see Melbostad et al, p 262  
 Wingren G: see Andersson et al, p 12  
 Wolkoff P (guest editor): 45th (Nordisk Arbejdsmiljø Møde) Nordic Conference on the Work Environment and Health (NCWEH), Rebild Bakker, Denmark, 1—3 September 1997 (special section), p 417—443  
 Wood SM, et al: Mortality and morbidity of workers exposed to acrylonitrile in fiber production, suppl 2 p 54  
 Woutersen RA: Toxicologic profile of acrylonitrile, suppl 2 p 5  
 Wright BM: see Smith et al, suppl 3 p 55  
 Wünsch-Filho V, et al: Occupational risk factors of lung cancer in S(bay)lo Paolo, Brazil, p 118  
 Yates SC: see Smith et al, suppl 3 p 55  
 Yost MG: see Burch et al, p 183  
 Zaebs D: see Stewart et al, suppl 2 p 42  
 Zaebs DD: see Blair et al, suppl 2 p 25  
 Zey JN: see Blair et al, suppl 2 p 25  
 Zey JN: see Stewart et al, suppl 2 p 42  
 Zhang X-D, et al: Antibody responses of rats after immunization with organic acid anhydrides as a model of predictive testing, p 220  
 Zitting A: see Koskinen et al, p 109



## Key terms

- 6-hydroxymelatonin sulfate, 183  
 8-hour shifts, suppl 3 p 55, 62, 69  
 12-hour night shifts, suppl 3 p 76  
 12-hour shifts, suppl 3 p 55  
 12-hour day shifts, suppl 3 p 76  
 12-hour shifts, suppl 3 p 49, 62, 69, 76  
 60 Hz, 183  
 accident data, suppl 3 p 43  
 accident process, 367  
 accident risk, suppl 3 p 43  
 accidents, 358  
 acrylic fiber, suppl 2 p 17  
 acrylonitrile, suppl 2 p 3, 5, 10, 25, 42, 54, 81  
 acrylonitrile industry, suppl 2 p 63  
 acrylonitrile workers, suppl 2, suppl 2 p 17, 71  
 activity logger, suppl 3 p 69  
 acute exposures, 130  
 adverse life-style factors, 351  
 aeroallergens, 236  
 age, 153, 321  
 ageing, 81  
 agreement percentage, 425  
 agricultural workers, 503  
 agriculture, 473  
 aiming test, 213  
 air pollution, 8, 481  
 airway obstruction, 262  
 alcohol, 300  
 alcohol consumption, 153  
 alertness, suppl 3 p 49, 109  
 allergy, 398  
 alternating shifts, suppl 3 p 62  
 Alzheimer's disease, 46  
 ambient air, 236  
 ambulatory blood pressure, 190, 334  
 amplitude-modulated radiofrequency radiation, 245  
 animal model, 220  
 animals, suppl 1 p 33, 39  
 annoyance reactions, 432  
 annual worktime, suppl 3 p 13  
 anthophyllite, 109, 392  
 anthophyllite exposure, 392  
 antibodies, 104  
 antibody responses, 220  
 antiglomerular basement membrane antibodies, 276  
 antilaminin antibodies, 276  
 arm support, 62  
 aromatic amines, suppl 2 p 71  
 arrangements, suppl 3 p 13  
 art glass workers, 386  
 asbestos, 312  
 asbestos exposure, 392  
 asbestos industry workers, 109  
 asbestosis, 109  
 assessment of shift rotas, suppl 3 p 96, 103  
 association, 486  
 asthma, 12, 262, 398  
 asthma induced by cow epithelium, 503  
 atopy, 398  
 attitudes, suppl 3 p 69  
 audit matrix, 439  
 (bp)82-microglobulin, 276  
 back injuries, 367  
 back, 367  
 back pain, 206  
 benzene, 8  
 bidimensional concept, 293  
 bioeffects, 241  
 biological effects, 245  
 biological indicators, suppl 1 p 11  
 biomechanical load, 145  
 birth cohort, 407  
 birth defects, 473  
 birthweight, 206, suppl 3 p 28  
 bladder, suppl 2 p 81  
 bladder cancer, suppl 2 p 71  
 blood, 38  
 blood lead concentrations, 153  
 blood pressure, 334  
 bone, suppl 1 p 31  
 brain, suppl 2 p 81  
 brain cancer, suppl 2 p 71  
 brain tumor, p 12  
 Brazil, 118  
 breaks, 206  
 breast cancer, 3, suppl 1 p 36  
 bright light, suppl 3 p 115  
 bus maintenance workers, 481  
 cacostmia, 432  
 cadmium exposure, suppl 1  
 calcaneus, 38  
 calcaneal bone, 38  
 cancer, 8, 12, suppl 1 p 34, suppl 2 p 25, 42  
 car driving, 358  
 cancer epidemiology, 1, 161  
 cancer incidence, 270  
 cancer mortality, 386  
 cancer occupational cohort, suppl 2 p 17  
 cancer registers, 1  
 carcinogenic effects, 312  
 carcinogenicity, suppl 2 p 5, 10  
 cardiovascular disease, 236, suppl 3 p 128  
 cardiovascular risk factor, 334  
 cardiovascular system, suppl 1 p 37  
 care seeking, 465  
 carpal tunnel release, 285  
 carpal tunnel syndrome, 285  
 case-referent study, 12, 46, 98, 118, 465, 486, suppl 3 p 128  
 cellular telephones, 245  
 challenges, suppl 3  
 change, suppl 3 p 55, 69  
 chemical exposures, suppl 2 p 54  
 chemical sensitivity, 432  
 child neoplasms, 8  
 childhood cancer, 8  
 children of shift workers, suppl 3 p 146  
 children's psychological health, suppl 3 p 146  
 chrysotile, 109  
 circadian malaise, suppl 3 p 55  
 circadian, suppl 3 p 109  
 circadian rhythm, 351, suppl 3 p 115  
 circadian phase shift, suppl 3 p 115  
 cluster analysis, 367  
 Cohen's kappa, 425  
 cohort study, 270, suppl 2 p 25  
 cold provocation test, 138  
 cold response, 138  
 combined effects, 300, suppl 3 p 134  
 complex system, suppl 3 p 121  
 complexity analysis, suppl 3 p 96  
 compliance, 293  
 computer mouse, 62, 418  
 computer-supported shift scheduling, suppl 3 p 96, 103  
 concept, 293  
 condensed worktime, suppl 3 p 13  
 congenital malformations, 445, 473  
 construction workers, 109  
 control room, suppl 3 p 121  
 coordination, 312  
 coping strategies, suppl 3 p 141  
 core temperature, suppl 3 p 115  
 coronary heart disease, 351  
 counseling, suppl 3 p 151  
 cross-sectional study, 262  
 customer-focused job, suppl 3 p 134  
 customs officers, suppl 3 p 134  
 cutting fluids, 125  
 daily work load, 190  
 daytime sleepiness, 300  
 dementia, 46  
 Denmark, 407, special section  
 depressive symptoms, 197  
 dermatitis, 398  
 desert country, 213  
 design, suppl 3 p 96  
 determinant, suppl 3 p 49  
 determinants, 236  
 developmental effects, suppl 1 p 37, 39  
 diabetics, suppl 1 p 30  
 diesel engine exhaust, 481  
 diesel exhaust particles, 481  
 diesel exposure, 486  
 diesel gas phase emission, 481  
 digit symbol test, 213  
 digital arterial vessels, 138  
 diurnal trends, suppl 3 p 109  
 dose-response relationship, suppl 1 p 22  
 duration, 130  
 dust respirator helmet, 503  
 ectopic pregnancy, 98  
 editorial, 1, 81, 161, 445, suppl 3 p 3  
 education, 334  
 effect, suppl 3 p 115  
 effects, suppl 3 p 62, 141  
 electric utility workers, 183  
 electromagnetic fields, 46,, 183 245  
 electromyography, 62  
 embryotoxic effects, suppl 1 p 39  
 emotional impact, suppl 3 p 146  
 employed women, 206  
 end exhaled air, 30  
 endemic pleural plaques, 392  
 environment, 407  
 environmental etiology, 165  
 environmental cancer epidemiology, 1  
 environmental exposure, 165, suppl 1 p 9, 18, 22, 392  
 environmental risk factors, 3, 175  
 enzymuria, 276  
 epidemiologic studies, suppl 2 p 63  
 epidemiologic study, 473  
 epidemiology, 12, 98, 118, 165, 175, 276, 376, 407, 445, 465, suppl 2 p 10, 54  
 ergonomic intervention, 449  
 ergonomics, 376  
 erythrocyte acetylcholinesterase, 213  
 etiology, 175  
 Europe, 312  
 European directives, suppl 3 p 7



- evaluation, 439
- experience, 308
- experimental challenge, 432
- expert assessment, 473
- exposure, 8, 175, 276, 418, 473, suppl 2 p 25, 10, 54
- exposure and dose, suppl 1 p 9
- exposure assessment, suppl 2 p 42
- exposure chamber, 432
- exposure duration, 130
- exposure estimation, suppl 2 p 63
- exposure levels, suppl 2 p 63
- exposure models, suppl 3 p 43
- exposure reconstruction methods, suppl 2 p 63
- exposure time, suppl 3 p 115
- exposure-response relationship, 138
- extended shifts, suppl 3 p 141
- extended workhours, suppl 3 p 43
- factor analysis, 293
- family history, 262
- farm workers, 18, 213
- farmers, 104, 255, 262, 503
- farming, 255
- farming population, 262
- fatigue, suppl 3 p 62
- fecundability, 344
- fecundity, suppl 3 p 28
- female, 334
- female exposure, suppl 3 p 28
- female night workers, suppl 3 p 7
- female nursing personnel, 465
- female reproduction system, suppl 1 p 38
- fertility, 344
- fiber production, suppl 2 p 54
- fibrosis, 109
- finger blood flow, 130
- finger circulation, 130
- finger systolic blood pressure, 138
- Finland, 109, 439
- flexibility, suppl 3 p 7
- flexible workhours, suppl 3 p 103
- flexitime, suppl 3 p 13
- flow limitation, 30
- function, suppl 3 p 43 115
- functional flexitime, suppl 3 p 13
- furnace dust exposure, 236
- gastrointestinal disease, suppl 3 p 128
- Gazel cohort, 197
- gender, 54, 153, 465
- generation gap, 81
- genetic factors, 262
- Germany, suppl 3 p 43
- glassworkers, 386
- glomerular damage, suppl 1 p 21
- good practice in occupational health services, 439
- guidelines, suppl 3 p 151
- hairdressers, 398
- halogenated hydrocarbons, 3
- hand, 495
- hand eczema, 125
- hand intensive work, 285
- hand-arm vibration syndrome, 495
- hand-transmitted vibration, 130, 138
- hantavirus, 104
- health, 85, 321, suppl 3 p 55, 69, 81, 134
- health behavior, 321
- health care, 465
- health effects, suppl 1
- health protection, suppl 3 p 7
- health risk, 153
- health services research, 439
- health status, p 54
- hemoglobin-adjusted erythrocyte cholinesterase, 213
- hemorrhagic fever, 104
- historical cohort, 285
- hold test, 308
- home-work conflict, suppl 3 p 141
- hospital personnel, 98
- hospital staff, 98
- hospitals, suppl 3 p 81
- hour at work, suppl 3 p 43
- housing site, 74, 416
- human, 183
- human cancer, suppl 2 p 81
- humans, 30, suppl 1 p 32
- immunization, 220
- immunoglobulin E, 220, 276
- immunoglobulin G, 220
- immunologic markers, 276
- implementation, suppl 3 p 88
- implementation of guidelines, 439
- individual determinants, suppl 3 p 35
- individual differences, suppl 3 p 35
- industrial workers, suppl 2 p 25
- industry studies, suppl 2 p 54
- infections, 255
- information gathering, suppl 3 p 121
- inhalation, suppl 2 p 5
- innovative worktime, suppl 3 p 13
- input device, 62
- insomnia, 300
- installations, 321
- interaction, 351
- international regulations, suppl 3 p 7
- international standards, suppl 3 p 7
- intervertebral disc pathology, 358
- iso-strain, 54
- Italy, 386
- Japan, 392
- job characteristics, 321
- job control, 54, 190, 206
- job demands, 54, 418, suppl 3 p 134
- job strain, 54, 190, 334, 344
- job title, 236
- job-exposure matrix, 118, 486
- joint effect, 351
- kidneys, suppl 1 p 18
- kidney stones, suppl 1 p 21
- knowledge-based software system, suppl 3 p 88
- knowledge-based support, suppl 3 p 88
- koilonychia, 398
- Kumamoto, 392
- laboratory animals, 236
- laboratory study, suppl 3 p 115
- laryngitis, 398
- larynx cancer, 386
- lead concentration, 38
- lead exposure, 38
- lead-free gasoline, 153
- leave, suppl 3 p 103
- letter to the editor, 74, 416
- leukemia, suppl 2 p 81
- life-style, 300
- lifting, 367
- local level, suppl 3 p 81
- longitudinal study, 276
- long-term exposure, 18, 213, 270
- long-term organophosphate exposure, 18
- long-term solvent exposure, 432
- low-back pain, 145, 465
- lumbar disc degeneration, 358
- lumbar spine, 358
- lung, suppl 2 p 81
- lung cancer, 12, 118, 386, suppl 1 p 34, suppl 2 p 25, 71
- machine operators, 125
- MacReflex motion analysis system, 62
- magnetic fields, 46, 183
- magnetic resonance imaging, 358
- makers and formers, 386
- male reproduction, 407
- male reproduction system, suppl 1 p 37
- management, suppl 3 p 81
- manufacturing, 293
- mass screening, 392
- measurement, 293
- mechanism, suppl 2 p 5
- medical surveillance, suppl 3 p 151
- memory, suppl 3 p 109
- menstrual disorders, suppl 3 p 28
- mental demands, 418
- mental health, 54, 197, 321
- meta-analysis, 255, suppl 2 p 71
- metabolic interaction, 30
- metabolites, 30
- microalbuminuria, 276
- microwaves, 245
- model, 220
- moderating role, 190
- mood, suppl 3 p 109
- morbidity, 213, suppl 2 p 54, suppl 3 p 128
- morbidity studies, suppl 2 p 54
- mortality, 12, 270, suppl 2, suppl 2 p 17, 25, 54
- mortality update, suppl 2 p 10
- motor vehicle exhaust, 8
- mouse, 236
- multiple myeloma, 270
- muscle activity, 418
- muscular load, 62
- musculoskeletal, 376
- musculoskeletal diseases, 425
- musculoskeletal symptoms, 418
- mutations, 3
- n-butyl acetate, 432
- n-hexane, 30
- negative prediction value, 425
- nested case-control study, suppl 2 p 25
- The Netherlands, suppl 2 p 10
- neurobehavioral, 308
- neurological symptoms, 18
- neurophysiology, 285, 495
- night, suppl 3 p 115
- night work, suppl 3, suppl 3 p 7, 69, 128, 151
- night workers, suppl 3 p 7
- nocturnal excretion, 183
- non-Hodgkin's lymphoma, 255
- nonionizing radiation, 241, 245
- nonthermal effects, 245
- Nordic conference, special section
- Nordisk Arbejdsmiljø Møde, special section
- North Sea, 321
- Norway, 206
- nurses, 367, 449
- nursing, 449, suppl 3 p 141
- nursing personnel, 367
- obesity, 351
- observation, 376
- obstructive lung diseases, 12
- occupation, 3, 125, 175, 344, 358, suppl 2 p 42
- occupational allergy, 220
- occupational asthma, 503
- occupational diseases, 495, 503
- occupational exposure, 38, 46, 98, 165, 262, 481, 486, suppl 1 p 9, 25
- occupational exposures, suppl 2 p 10
- occupational factors, 145



- occupational groups, 138
- occupational health, suppl 3 p 141
- occupational history, 38
- occupational health service, suppl 3 p 151
- occupational health units, 439
- occupational load, 358
- occupational risk, 104
- occupational risk factors, 118, 175
- occupational skin diseases, 398
- occupational stress, 321, 334
- occupational studies, 407, suppl 2 p 54
- occurrence, 165
- offshore oil and gas installations, 321
- offspring, 74, 416
- older workers, 85
- optimal sleep-wake pattern, suppl 3 p 18
- optional worktime, suppl 3 p 13
- oral, suppl 2 p 5
- organic acid anhydrides, 220
- organic dust exposure, 503
- organic solvents, 270, 308
- organization, suppl 3, suppl 3 p 7, 81
- organophosphates, 18, 213
- ovarian cancer, 175
- ovarian neoplasms, 175
- overexertion, 367
- overview, suppl 2 p 81
- paint industry workers, 270
- pancreatic cancer, 165
- pancreatic neoplasms, 165
- part-time, suppl 3 p 13
- participation, suppl 3 p 81, 7
- participative shift roster design, suppl 3 p 55
- participatory design, suppl 3 p 88
- particle-bound benzene, 481
- paternal depression, suppl 3 p 146
- paternal exposure, 473
- path analysis, suppl 3 p 141
- patient transfer, 367
- patterns of exposure, 138
- pelvic pain, 206
- perceived exertion, 62
- performance, suppl 3 p 62, 69, 109, 115
- peripheral nervous system diseases, 495
- permanent, suppl 3 p 76
- personality, 321
- pesticides, 3, 213, 255, 445, 473
- photography printers, 276
- psychosocial factors, 449
- physical activity, 300, 351
- physical factors, 449
- physical demands, 376
- physical effort, suppl 3 p 62
- physical environment, 145
- physical health, 54
- physical load, 358, 465
- physical work load, 376
- pilot study, suppl 3 p 115
- pineal, 183
- plasma, 38
- plasma fibrinogen levels, 236
- plasma lead, 38
- pleural abnormalities, 109
- pleural plaques, 392
- pollution, 74, 416
- polycyclic aromatic hydrocarbons, 486
- polymerization, suppl 2 p 17
- population-based sample, 206
- positive prediction value, 425
- postmenopausal women, 3
- posture, 62
- powered dust respirator helmets, 503
- predictive testing, 220
- predictive value, 138
- predictors, 153
- preeclampsia, 206
- pregnancy, suppl 3 p 28
- pregnancy health, 206
- prenatal care, 206
- preterm birth, suppl 3 p 28
- prevalence, 104, 300, 398
- prevention, 503, suppl 3 p 81
- proceedings, suppl 3
- process model, suppl 3 p 88
- productivity, 85
- prospective data, 344
- prospective study, 197
- prostate, suppl 2 p 81
- prostate cancer, 486, suppl 1 p 35, suppl 2 p 71
- prostatic cancer, 270
- psychological, 190
- psychological functioning, suppl 3 p 109
- psychological stress, 334
- psychosocial aspects, 321
- psychosocial factors, 197, 321, 465
- psychosocial factors at work, 197
- psychosocial load, 145
- publication bias, suppl 2 p 71
- Puumala virus, 104
- quality improvement, 439
- quality of life, suppl 3 p 55
- radiographic abnormalities, 109
- rapidly rotating shifts, suppl 3 p 55
- rat, 236
- rats, 220
- reaction time, suppl 3 p 62, 109
- Rebild Bakker, special section
- regulations, suppl 3 p 81
- relation, 358
- reliability, 293, 425
- renal cancer, suppl 1 p 36
- renal markers, 276
- renal tubular damage, suppl 1 p 20
- reproduction, 344
- reproductive effects, suppl 1 p 37
- reproductive health, suppl 3 p 28
- research, 312
- research strategies, suppl 3 p 35
- residents, 74, 416
- respect, 145
- respiratory, suppl 2 p 81
- respiratory diseases, 398
- response, 190
- responsivity, 190
- resting time, suppl 3 p 7
- retrospective data, 425
- retrospective on-shift alertness, suppl 3 p 49
- review, 3, 85, 165, 175, 321, 449, suppl 1, suppl 2, suppl 2 p 71, suppl 3 p 18
- rhinitis, 398
- risk, 351
- risk characterization, suppl 1 p 41
- risk estimate, suppl 1
- risk factors, 3, 118, 165
- rota representation, suppl 3 p 96
- rotas, suppl 3 p 96
- rotating shift work, suppl 3 p 141
- S(bay)lo Paolo, 118
- safety, 321, suppl 3 p 43, 49, 81
- safety behavior, 293
- safety initiative, 293
- safety protection, suppl 3 p 7
- safety rules, 293
- scheduling, suppl 3 p 69
- screening, 109
- secular trend, 407
- selection, suppl 3 p 35
- self-completed questionnaire, 376
- self-reported, 425
- semen, 407
- sensitivity, 138, 425
- sensory thresholds, 495
- seroepidemiology, 104
- sex ratio, 74, 416
- shift duration, suppl 3 p 69
- shift length, suppl 3 p 49
- shift schedules, suppl 3 p 7
- shift scheduling, suppl 3 p 96, 103
- shift systems, suppl 3 p 134
- shift timing, suppl 3 p 49
- shift work, 300, 321, 351, suppl 3, suppl 3 p 7, 18, 28, 35, 43, 49, 62, 69, 76, 81, 88, 128, 146, 151
- shift workers, suppl 3 p 151
- shift worker's health, suppl 3 p 141
- shift-rota design, suppl 3 p 103
- shift systems, suppl 3 p 88
- shiftwork arrangements, suppl 3 p 121
- shiftwork tolerance, suppl 3 p 35
- shipyard workers, 109
- short communication, 153, 308
- shoulder muscles, 418
- sick leave, 145, 425, suppl 3 p 128
- sickness absence, 145
- significance, suppl 3 p 96
- simulation, suppl 3 p 18
- skin exposure, 125
- slaughterhouse workers, 285
- sleep, 300, suppl 3 p 62, 69
- sleep deprivation, 300
- sleep quality, suppl 3 p 76
- sleepiness, 300, suppl 3 p 62, 69, 76
- slowly rotating shifts, suppl 3 p 55
- smoking, 262, 351
- social conditions, suppl 3 p 35
- social determinants, suppl 3 p 35
- social support 54
- social support at work, 197, suppl 3 p 141
- solvent, 276
- solvents, 3
- South Africa, 18
- specificity, 138, 425
- sperm concentration, 407
- sperm count, 407
- sperm density, 407
- spontaneous abortion, suppl 3 p 28
- stomach cancer, 12
- strategy, suppl 3 p 18
- stress, 206, 321, 344
- structural equation modeling, suppl 3 p 141
- structure-activity relationship, 220
- styrene exposure, 308
- subjective alertness, suppl 3 p 76, 115
- subjective ratings, 62, suppl 3 p 62
- subjective sleep quality, suppl 3 p 76
- subjects, 432
- sulfite mill workers, 12
- supervision modeling, suppl 3 p 121
- supervisory activity, suppl 3 p 121
- suprathreshold intensity, 432
- Sweden, 104, 270
- task, 236
- technique, suppl 3 p 103
- teratogenic effects, suppl 1 p 39
- three-process model, suppl 3 p 121
- thrombosis, 351
- tibia, 38
- tibial bone, 38
- time of day, suppl 3 p 43
- time to pregnancy, 344, suppl 3 p 28
- time-autonomous work group, suppl 3 p



- tiredness, suppl 3 p 55  
toluene, 30, 276, 432  
toxic encephalopathy, 432  
toxicity, suppl 2 p 5  
toxicologic profile, suppl 2 p 5  
tremor, 18  
trends, 165  
trichloroethylene, 30  
Tuscany, 386  
unidimensional concept, 293  
United States, 54  
United Kingdom, suppl 2 p 17  
update, 270, suppl 2 p 17  
upper limb, 62  
urinary allergen exposure, 236  
urinary melatonin metabolite, 183  
validity, 376, 425  
variability, 125  
variable worktime, suppl 3 p 13  
vascular dementia, 46  
vasoregulatory mechanisms, 130  
vibrating tools, 138  
vibration, 130, 495  
vibration sense, 18  
vibration-induced white finger, 130, 138  
vibrotactile sense, 495  
video display units, 62, 418  
vigilance, suppl 3 p 62  
vitamin intake, 153  
vocabulary test, 308  
white-collar workers, 334  
women, 54, 465, 486  
work, 197, 376, 418  
work behavior, 81  
work capacity, 85  
work environment, suppl 3 p 81  
work environment and health, special section  
work force aging, 85  
work organizational factors, 449  
work pace control, 206  
work patterns, suppl 3 p 146  
work posture, 418  
work rate, 206  
work-related low-back problems, 449  
work-related risk factors, 358  
work requirements, suppl 3 p 134  
work schedules, suppl 3 p 141  
work times, suppl 3 p 3  
worker behavior, 293  
workers, 293, 308, suppl 2 p 10, 42, 54  
working parents, suppl 3 p 146  
working population, suppl 3 p 43  
work-nonwork conflict, suppl 3 p 141  
workplace factors, 465  
workshop report, 312  
worktime, suppl 3 p 13, 43, 81  
wrist, 418  
wrist extensor muscles, 418  
xenoestrogens, 3  
xylene, 270  
year of birth, 407



# Acknowledgments

The *Scandinavian Journal of Work, Environment & Health* wishes to express its gratitude to the following scientists, who were so kind as to act as reviewers for articles received during the period 1 September 1997—31 August 1998.

Ackermann-Liebrich Ursula  
Ahlbom Anders  
Aitio Antero  
Albin Maria  
Alfredsson Lars  
Andersson Kjell  
Anttila Ahti  
Arlinger Stig  
Armstrong Benedict  
Armstrong Thomas  
Arnetz Bengt  
Axelson Olav  
Bach Elsa  
Baker Dean  
Belkic Karen  
Bergqvist Ulf  
Bertazzi Pier Alberto  
Blair Aaron  
Boffetta Paolo  
Bonde Jens-Peter  
Bongers Paulien  
Burdorf Alex  
Checkoway Harvey  
Christensen Hanne  
Clarkson Tom  
Coggon David  
Demers Paul  
Dybing Erik  
Edling Christer  
Eduard Wijnand  
Ekenvall Lena  
Elinder Carl-Gustav  
Elmes Peter  
Floderus Birgitta  
Foo S-C  
Foret Jean  
Gamberale Francesco  
Gemne Gösta  
Gerhardsson Lars  
Godden David  
Goldsmith David  
Gregersen Per  
Gyntelberg Finn  
Haahtela Tari  
Hagberg Mats  
Hagmar Lars  
Hakama Matti  
Hakulinen Timo

Halperin William  
Hanao Rolf  
Harlan Amandus  
Heikkilä Pirjo  
Heliövaara Markku  
Hemón Denis  
Hietanen Maila  
Hillerdal Gunnar  
Hilt Björn  
Holst Erik  
Husgafvel-Pursiainen Kirsti  
Husman Tuula  
Huuhtanen Pekka  
Hänninen Helena  
Iivonen Eero  
Iregren Anders  
Jakobsson Kristina  
Jensen Bente R.  
Jokela Kari  
Juutilainen Jukka  
Järholm Bengt  
Kalimo Raija  
Kandolin Irja  
Kanerva Lasse  
Kangas Juhani  
Karjalainen Antti  
Kauppinen Timo  
Keskinen Helena  
Kilbom Åsa  
Kivimäki Mika  
Kjellberg Anders  
Kjuus Helge  
Klen Tapio  
Knardahl Stein  
Knutsson Anders  
Kogevinas Manolis  
Kogi Kazutaka  
Koh David  
Kolstad Henrik  
Koskela Riitta-Sisko  
Koskimies A.I.  
Kristensen Petter  
Kristensen Tage S  
Kurppa Kari  
Laitinen Jaana  
Langård Sverre  
Lappalainen Maija  
Leino Timo

Leino-Arjas Päivi  
Levin Jan-Olof  
Levy Finn  
Liesivuori Jyrki  
Liira Juha  
Lindbohm Marja-Liisa  
Louhevaara Veikko  
Lundberg Ingvar  
Luomanmäki Kimmo  
Luukkonen Ritva  
Lyytinen Heikki  
Läubli Thomas  
Malmberg Per  
Malmivaara Antti  
McLaughlin Joseph  
Miller Anthony B.  
Moneta Giovanni  
Müller Kiti  
Mussalo-Rauhamaa Helena  
Mutti Antonio  
Molhave Lars  
Mäkelä Matti  
Nachreiner Friedhelm  
Nieuwenhuijsen Mark  
Nilsson Bengt  
Nordberg Gunnar  
Nordman Henrik  
Norppa Hannu  
Norseth Tor  
Nuutinen Juhani  
Nygård Clas-Håkan  
Oakes David  
Olenchock Stephen  
Olsen JH  
Olsen Jörn  
Ong Choon-Nam  
Osterman-Golkar Siv  
Owen Bernice  
Partanen Timo  
Pearce Neil  
Pekkarinen Jussi  
Peltonen Kimmo  
Pershagen Göran  
Petersson Ingemar  
Pirilä Tapio  
Pohjanpelto Pirkko  
Putz-Anderson Vernon  
Pyykkö Ilmari

Reijula Kari  
Reunanen Antti  
Riihimäki Hilka  
Riihimäki Vesa  
Rintamäki Hannu  
Roels Harry  
Rosa Roger  
Ruoppi Pirkko  
Sallinen Mikael  
Savolainen Kai  
Schneider Thomas  
Seaton Anthony  
Seppälä Anne  
Siegrist Johannes  
Siemiatycki Jack  
Silverstein Barbara  
Simonato Lorenzo  
Sjögaard Gisela  
Smedley Julia  
Starck Jukka  
Stenius-Aarniala Brita  
Stern Frank  
Sunderman William  
Savela Kristi  
Takala Esa-Pekka  
Tenkanen Leena  
Tepas Donald  
Theorell Töres  
Theriault Gilles  
Tossavainen Antti  
Tüchsen Finn  
Tuomilehto Jaakko  
Turjanmaa Kristiina  
Valjus Jorma  
Van der Beek Allard  
Videman Tapio  
Viikari-Juntura Eira  
Vineis Paolo  
Vingård Eva  
Völlestad Nina  
Wall Stig  
Watt Stephen  
Wegman David  
Wennberg Arne  
Westerhom Peter  
Westlander Gunnela  
Åkerstedt Torbjörn



